

View Online at <https://aerobasegroup.com/nsn/5950-01-284-0506>

**Reliability Indicator:**

Not established

**Turn Quantity:**

30 single component all winding

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

4.240 inches single mounting facility single center group and 4.260 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.865 inches single mounting facility single center group and 2.885 inches single mounting facility single center group

**Mounting Hole Diameter:**

0.428 inches single group and 0.448 inches single group

**Inductance Rating:**

4.70 microhenries single component all winding

**Core Construction:**

Laminated single component

**Body Length:**

Between 5.250 inches and 5.310 inches

**Body Width:**

Between 3.590 inches and 3.650 inches

**Body Height:**

4.060 inches

**Maximum Operating Temp:**

65.0 degrees celsius

**End Application:**

Power supply

**Winding Quantity:**

3 single component

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Unthreaded hole single group

**Rating Method:**

Electrical single component all winding and winding turns single component all winding

**Winding Conductor Size:**

0.06408 inches american wire gage single component all winding

**Winding Operating Current:**

15.0 amperes dc single component all winding

**Winding Operating Voltage:**

600.00 ac pounds per hour wet single component all winding

**Terminal Type And Quantity:**

6 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0