

View Online at <https://aerobasegroup.com/nsn/5950-01-285-1108>

**Reliability Indicator:**

Not established

**Hazardous Locations/environmental Protection:**

Dripproof

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

3.720 inches single mounting facility single center group and 3.780 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

3.090 inches single mounting facility single center group and 3.150 inches single mounting facility single center group

**Overall Height:**

4.120 inches

**Overall Width:**

5.250 inches

**Frequency Rating:**

48.0 hertz single component and 62.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Maximum Transformer Power Rating:**

250.0 volt-ampere single component

**Body Length:**

4.620 inches

**Maximum Operating Temp:**

120.0 degrees celsius

**End Application:**

5840-01-241-9168, radar

**Inclosure Type:**

Open

**Mounting Method:**

Bracket single group

**Winding Operating Current:**

2.25 amperes ac single component single primary

**Winding Operating Voltage:**

220.00 ac pounds per hour wet single component single primary and 440.00 ac pounds per hour wet single component single primary

**Terminal Type And Quantity:**

6 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0