

View Online at <https://aerobasegroup.com/nsn/5950-01-291-0802>

**Reliability Indicator:**

Not established

**Overall Length:**

5.000 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

3.750 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

3.000 inches single mounting facility single center group

**Overall Height:**

4.750 inches

**Overall Width:**

4.000 inches

**Mounting Hole Diameter:**

0.190 inches single group

**Frequency Rating:**

45.0 hertz single component and 440.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Internal shield grounded to inclosure single component

**Maximum Operating Temp:**

80.0 degrees celsius

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Unthreaded hole single group

**Winding Function And Quantity:**

2 primary single component and 5 secondary single component

**Winding Operating Current:**

3.0 amperes dc single component 1st secondary

**Winding Operating Voltage:**

9.00 ac volts single component 4th secondary and 18.00 ac volts single component 4th secondary

**Special Features:**

2 primary windings, 5 secondary windings; all output currents are shown rectified

**Terminal Type And Quantity:**

24 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0