NSN 5950-01-292-2082

Power Autotransformer Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-01-292-2082

View Offiline at https://defobasegroup.com/nish/0900-01-292-2002
Reliability Indicator:
Not established
Hazardous Locations/environmental Protection:
Humidity resistant and moisture resistant
Overall Length:
2.320 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.375 inches single mounting facility single center group and 1.385 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.649 inches single mounting facility single center group and 1.659 inches single mounting facility single center group
Overall Height:
1.130 inches
Overall Width:
2.040 inches
Mounting Hole Diameter:
0.140 inches single group and 0.150 inches single group
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internally shielded single component
Maximum Operating Temp:
105.0 degrees celsius
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Unthreaded hole single group
Winding Function And Quantity:
1 primary, fixed autotransformer type single component
Winding Operating Voltage:
17.00 ac kilovolts single component single primary input
Terminal Type And Quantity:
3 solder stud
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No
Fiia:

A058b0