

View Online at <https://aerobasegroup.com/nsn/5950-01-292-2082>

Reliability Indicator:

Not established

Hazardous Locations/environmental Protection:

Humidity resistant and moisture resistant

Overall Length:

2.320 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.375 inches single mounting facility single center group and 1.385 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.649 inches single mounting facility single center group and 1.659 inches single mounting facility single center group

Overall Height:

1.130 inches

Overall Width:

2.040 inches

Mounting Hole Diameter:

0.140 inches single group and 0.150 inches single group

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internally shielded single component

Maximum Operating Temp:

105.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

1 primary, fixed autotransformer type single component

Winding Operating Voltage:

17.00 ac kilovolts single component single primary input

Terminal Type And Quantity:

3 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0