NSN 5950-01-293-1086

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-293-1086
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
0.890 inches single mounting facility single center group and 0.910 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.890 inches single mounting facility single center group and 0.910 inches single mounting facility single center group
Mounting Hole Diameter:
0.106 inches single group and 0.126 inches single group
Inductance Type:
Fixed
Inductance Rating:
2.00 millihenries single component single winding
Frequency Rating:
800.0 hertz single component and 50.0 kilohertz single component
Body Length:
1.195 inches
Body Width:
1.195 inches
Body Height:
Between 0.745 inches and 0.755 inches
Maximum Operating Temp:
155.0 degrees celsius
Winding Quantity:
1 single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
2 single group
Mounting Method:
Unthreaded hole single group
Rating Method:
Electrical single component single winding
Winding Operating Current:
1.5 amperes dc single component single winding
Dc Resistance Rating In Ohms:
0.250 single component single winding
Terminal Type And Quantity:
2 pin
Shelf Life:
N/a
Unit Of Measure:

--

NSN 5950-01-293-1086

Reactor - Page 2 of 2



em			

No

Fiig:

A058b0