NSN 5950-01-293-2234

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-293-2234

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.720 inches single mounting facility single center group and 3.780 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.840 inches single mounting facility single center group and 3.900 inches single mounting facility single center group

Overall Width:

Between 5.720 inches and 5.780 inches

Mounting Slot Width:

0.170 inches single group and 0.230 inches single group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Maximum Transformer Power Rating:

350.0 volt-ampere single component

Body Length:

Between 4.470 inches and 4.530 inches

Body Height:

Between 3.780 inches and 3.840 inches

End Application:

4920-01-126-2039

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Slot single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

761.0 milliamperes ac single component single primary

Winding Operating Voltage:

460.00 ac volts single component single primary

Terminal Type And Quantity:

6 tab w/screw

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

NSN 5950-01-293-2234

Power Transformer - Page 2 of 2



Fiig:

A058b0