

View Online at <https://aerobasegroup.com/nsn/5950-01-294-1275>

Reliability Indicator:

Not established

Overall Length:

7.620 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

5.750 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

4.380 inches single mounting facility single center group

Overall Height:

4.750 inches

Overall Width:

5.250 inches

Mounting Slot Width:

0.312 inches single group

Frequency Rating:

50.0 hertz single component or 60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Maximum Transformer Power Rating:

750.0 volt-ampere single component

Maximum Operating Temp:

105.0 degrees celsius

Inclosure Type:

Partially enclosed, double shell

Mounting Facility Quantity:

4 single group

Mounting Method:

Slot single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

6.25 amperes ac single component single secondary

Winding Operating Voltage:

208.00 ac volts single component single primary and 277.00 ac volts single component single primary

Special Features:

No jumpers supplied; type k fuse clips mounted on secondary

Terminal Type And Quantity:

2 terminal block w/screws

Specification Data:

59678-11024280 manufacturers specification control

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0