## NSN 5950-01-294-4998

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-294-4998

Reliability Indicator:
Not established
Overall Length:
5.620 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
5.000 inches 1st mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.500 inches 1st mounting facility single center group
Overall Height:
4.120 inches
Overall Width:
3.920 inches
Mounting Hole Diameter:
0.339 inches 1st group and 0.350 inches 1st group
Frequency Rating:
50.0 hertz single component and 20.0 megahertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Distance Between Mounting Facility Centers:
2.125 inches 2nd mounting facility single center group
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
6 1st group
Mounting Method:
Unthreaded hole 1st group
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Thread Size:
0.250 inches 2nd group
Winding Operating Current:
1.0 amperes ac single component single winding
Winding Operating Voltage:
84.00 ac volts single component single secondary and 132.00 ac volts single component single secondary
Thread Series Designator:
Unc 2nd group
Terminal Type And Quantity:
2 threaded stud and 2 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 5950-01-294-4998

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0