NSN 5950-01-294-6682

Current Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-294-6682

Reliability Indicator:

Not established

Hazardous Locations/environmental Protection:

Salt spray resistant and vibration resistant and humidity resistant

Frequency Rating:

1.0 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

1.360 inches

Body Width:

1.360 inches

Body Height:

0.520 inches

Maximum Operating Temp:

85.0 degrees celsius

Distance Between Mounting Facility Centers:

0.980 inches single mounting facility single center group and 1.020 inches single mounting facility single center group

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

2 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 secondary single component

Thread Size:

0.112 inches single group

Winding Operating Current:

28.3 amperes ac single component all primary

Special Features:

Primaries rated but not included; terminals 3 and 5 internally connected by wire

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

5 turret

Specification Data:

53711-6127554 manufacturers source control

Shelf Life:

N/a

Unit Of Measure:

--

NSN 5950-01-294-6682

Current Transformer - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

