

View Online at <https://aerobasegroup.com/nsn/5950-01-294-6687>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

6.400 inches single mounting facility single center group and 6.600 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.490 inches single mounting facility single center group and 2.510 inches single mounting facility single center group

**Frequency Rating:**

60.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Maximum Transformer Power Rating:**

400.0 volt-ampere single component

**Body Length:**

7.880 inches

**Body Width:**

4.500 inches

**Body Height:**

6.300 inches

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded stud single group

**Winding Function And Quantity:**

1 primary single component and 5 secondary single component

**Thread Size:**

0.312 inches single group

**Winding Operating Current:**

75.0 milliamperes dc single component 2nd secondary and 750.0 milliamperes dc single component 2nd secondary

**Criticality Code Justification:**

Feat

**Winding Operating Voltage:**

40.00 dc volts single component 4th secondary

**Special Features:**

Item must comply with requirements of desc production standard no. L04054; for navy nuclear propulsion plant products only; one primary winding; 5 secondary windings

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

13 pin

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0