

View Online at <https://aerobasegroup.com/nsn/5950-01-297-8517>

**Reliability Indicator:**

Not established

**Impedance Rating In Ohms:**

3000.0 single component all primary

**Frequency Rating:**

1.0 megahertz single component

**Primary To Secondary Turn Ratio:**

1 to 1-7/16 single component

**Body Length:**

1.700 inches

**Body Width:**

1.500 inches

**Body Height:**

0.750 inches

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

3 single group

**Mounting Method:**

Threaded hole single group

**Winding Function And Quantity:**

4 primary single component and 4 secondary single component

**Features Provided:**

W/resistor

**Thread Size:**

0.138 inches single group

**Center To Center Distance Between Mounting Facilities Parallel To The Base Of An Isosceles Triangle:**

0.890 inches single mounting facility single center group and 0.910 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:**

0.990 inches single mounting facility single center group and 1.010 inches single mounting facility single center group

**Test Data Document:**

81755-c8839 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

12 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0