

View Online at <https://aerobasegroup.com/nsn/5950-01-299-1252>

Reliability Indicator:

Not established

Overall Length:

0.300 inches

Overall Height:

Between 1.025 inches and 1.035 inches

Overall Width:

Between 1.560 inches and 1.580 inches

Mounting Hole Diameter:

0.142 inches 2nd group and 0.152 inches 2nd group

Frequency Rating:

40.0 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Maximum Operating Temp:

155.0 degrees celsius

Inclosure Type:

Open

Mounting Facility Quantity:

4 2nd group

Mounting Method:

Unthreaded hole 2nd group

Winding Function And Quantity:

1 primary single component and 4 secondary single component

Features Provided:

Tinned wire leads

Thread Size:

0.112 inches 1st group

Center To Center Distance Between Mounting Facilities Parallel To The Base Of An Isosceles Triangle:

1.220 inches 1st mounting facility single center group and 1.230 inches 1st mounting facility single center group

Winding Operating Current:

500.0 milliamperes ac single component 2nd secondary

Winding Power Rating:

94.0 volts-amperes single component 1st secondary

Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:

1.320 inches 1st mounting facility single center group and 1.330 inches 1st mounting facility single center group

Winding Operating Voltage:

94.00 ac volts single component single primary

Thread Series Designator:

Unc 1st group

Terminal Type And Quantity:

11 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0