# NSN 5950-01-301-4111

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-301-4111

# **Reliability Indicator:**

Not established

## **Overall Length:**

1.300 inches

# Center To Center Distance Between Mounting Facilities Parallel To Length:

1.000 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

0.950 inches single mounting facility single center group

#### **Overall Height:**

0.700 inches

#### **Overall Width:**

1.250 inches

#### Inductance Type:

Fixed

#### **Inductance Rating:**

200.00 microhenries single component single winding

#### **Frequency Rating:**

20.0 kilohertz single component

## Maximum Operating Temp:

130.0 degrees celsius

# Winding Quantity:

1 single component

# Inclosure Type:

Fully enclosed

#### **Mounting Facility Quantity:**

2 single group

#### Mounting Method:

Threaded hole single group

#### **Rating Method:**

Electrical single component single winding

#### **Features Provided:**

Tinned wire leads

#### **Thread Size:**

0.112 inches single group

#### Winding Operating Current:

7.0 amperes dc single component single winding

# Dc Resistance Rating In Ohms:

50.000 single component single winding

#### **Test Data Document:**

82577-h940031 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

# **Thread Series Designator:**

Unc single group

# NSN 5950-01-301-4111

Reactor - Page 2 of 2

# Terminal Type And Quantity:

2 wire lead

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A058b0

