NSN 5950-01-302-3327

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-302-3327

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.399 inches single mounting facility single center group and 1.412 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.299 inches single mounting facility single center group and 1.312 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

1.960 inches

Body Width:

1.860 inches

Body Height:

2.160 inches

Maximum Operating Temp:

155.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 4 secondary single component

Thread Size:

0.138 inches single group

Winding Operating Current:

750.0 milliamperes ac single component 1st secondary

Winding Operating Voltage:

8.60 ac volts single component 1st secondary

Test Data Document:

96214-2809467 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;

excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

10 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

NSN 5950-01-302-3327

Power Transformer - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

