## NSN 5950-01-302-4342

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-302-4342

## **Reliability Indicator:**

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.245 inches single mounting facility single center group and 2.255 inches single mounting facility single center group

#### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.845 inches single mounting facility single center group and 1.855 inches single mounting facility single center group

#### **Mounting Hole Diameter:**

0.175 inches single group and 0.185 inches single group

#### **Inductance Type:**

Swinging

#### **Inductance Rating:**

8.00 henry single component single winding and 12.00 henry single component single winding

#### Frequency Rating:

1.0 kilohertz single component

#### **Body Length:**

2.770 inches

#### **Body Width:**

2.370 inches

#### **Body Height:**

3.930 inches

## **End Application:**

F-16 air defense radar

#### Winding Quantity:

1 single component

#### **Inclosure Type:**

Fully enclosed

#### **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Unthreaded hole single group

## Rating Method:

Electrical single component single winding

#### **Winding Operating Current:**

0.3 amperes dc single component single winding

#### Dc Resistance Rating In Ohms:

185.000 single component single winding

### **Special Features:**

One side of winding brought out to two terminals

## **Terminal Type And Quantity:**

3 standoff insulator

#### Shelf Life:

N/a

# NSN 5950-01-302-4342

Reactor - Page 2 of 2



			ure:	

--

Demilitarization:

Yes - demil/mli

Fiig:

A058b0