## NSN 5950-01-303-3504

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-303-3504 **Reliability Indicator:** Not established **Turn Quantity:** 12 single component single winding **Inductance Type:** Fixed **Inductance Rating:** 7.80 microhenries single component single winding and 9.50 microhenries single component single winding Frequency Rating: 10.0 kilohertz single component **Body Length:** 0.750 inches **Body Width:** 0.750 inches **Body Height:** 0.550 inches **Maximum Operating Temp:** 130.0 degrees celsius **Winding Quantity:** 1 single component **Inclosure Type:** Fully enclosed **Mounting Method:** Terminal single group **Rating Method:** Electrical single component single winding and winding turns single component single winding **Winding Conductor Size:** 0.03196 inches american wire gage single component single winding **Winding Operating Current:** 4.1 amperes dc single component single winding Dc Resistance Rating In Ohms: 0.010 single component single winding **Test Data Document:** 89954-312a5363 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Terminal Type And Quantity:** 2 wire lead Shelf Life: N/a **Unit Of Measure:** 

No

Demilitarization:

## NSN 5950-01-303-3504

Reactor - Page 2 of 2



Fiig:

A058b0