NSN 5950-01-303-3505

Reactor - Page 1 of 2

N/a



View Online at https://aerobasegroup.com/nsn/5950-01-303-3505

Reliability Indicator:
Not established
Turn Quantity:
9 single component all winding
Inductance Type:
Fixed
Inductance Rating:
5.00 microhenries single component all winding and 22.00 microhenries single component all winding
Frequency Rating:
100.0 kilohertz single component
Body Length:
0.625 inches
Body Outside Diameter:
0.900 inches
Maximum Operating Temp:
130.0 degrees celsius
Winding Quantity:
2 single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
1 single group
Mounting Method:
Threaded hole single group
Rating Method:
Electrical single component all winding and winding turns single component all winding
Thread Size:
0.112 inches single group
Winding Conductor Size:
0.04030 inches american wire gage single component all winding
Winding Operating Current:
7.5 amperes dc single component all winding
Dc Resistance Rating In Ohms:
8.000 single component all winding
Test Data Document:
89954-312a5073 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,
etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
4 pin
Shelf Life:

NSN 5950-01-303-3505

Reactor - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A058b0