

View Online at <https://aerobasegroup.com/nsn/5950-01-304-0577>

Reliability Indicator:

Not established

Frequency Rating:

360.0 hertz single component and 2.6 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

Between 1.110 inches and 1.140 inches

Body Width:

Between 1.110 inches and 1.140 inches

Body Height:

Between 0.385 inches and 0.415 inches

Maximum Operating Temp:

130.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

1 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

2.0 millimeters single group

Winding Operating Voltage:

26.00 ac volts single component single primary

Precious Material And Location:

Terminal surfaces gold

Precious Material:

Gold

Test Data Document:

20418-es6030 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Thread Series Designator:

Iso m single group

Terminal Type And Quantity:

5 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0