

View Online at <https://aerobasegroup.com/nsn/5950-01-304-1353>

Reliability Indicator:

Not established

Frequency Rating:

360.0 hertz single component and 2.6 kilohertz single component

Input-output Phase Relationship:

Two phase to two phase single component

Transformer Winding Connection Type:

Scott

Body Length:

Between 2.235 inches and 2.255 inches

Body Width:

Between 1.110 inches and 1.135 inches

Body Height:

Between 0.380 inches and 0.430 inches

Maximum Operating Temp:

130.0 degrees celsius

Distance Between Mounting Facility Centers:

1.121 inches single mounting facility single center group and 1.131 inches single mounting facility single center group

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

2 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

2.0 millimeters single group

Winding Operating Voltage:

6.80 ac volts single component single primary

Precious Material And Location:

Terminal surfaces gold

Precious Material:

Gold

Test Data Document:

20418-es6029 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Thread Series Designator:

Iso m single group

Terminal Type And Quantity:

9 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0