

View Online at <https://aerobasegroup.com/nsn/5950-01-305-2972>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.950 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.950 inches single mounting facility single center group

Frequency Rating:

16.7 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to inclosure single component

Body Length:

Between 2.220 inches and 2.280 inches

Body Width:

Between 2.220 inches and 2.280 inches

Body Height:

Between 1.445 inches and 1.455 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 3 secondary single component

Thread Size:

0.112 inches single group

Winding Operating Current:

671.0 milliamperes ac single component 3rd secondary

Winding Operating Voltage:

65.60 ac volts single component 3rd secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

11 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0