

View Online at <https://aerobasegroup.com/nsn/5950-01-305-6251>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.480 inches single mounting facility single center group and 2.520 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.980 inches single mounting facility single center group and 2.020 inches single mounting facility single center group

Mounting Hole Diameter:

0.190 inches single group and 0.210 inches single group

Frequency Rating:

50.0 hertz single component or 60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Length:

Between 2.980 inches and 3.020 inches

Body Width:

Between 2.480 inches and 2.520 inches

Body Height:

4.000 inches

Maximum Operating Temp:

85.0 degrees celsius

Inclosure Type:

Open

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

2 primary single component and 2 secondary single component

Features Provided:

Color coded lead

Winding Operating Voltage:

9.60 dc volts single component 1st secondary

Terminal Type And Quantity:

12 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0