## NSN 5950-01-305-6252

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-305-6252

### **Reliability Indicator:**

Not established

### Center To Center Distance Between Mounting Facilities Parallel To Length:

1.500 inches single mounting facility single center group

### Center To Center Distance Between Mounting Facilities Parallel To Width:

1.500 inches single mounting facility single center group

### Frequency Rating:

60.0 hertz single component

### Input-output Phase Relationship:

Single phase to single phase single component

### **Winding Shielding Method:**

Internal shield grounded to inclosure single component

### **Body Length:**

2.000 inches

### **Body Width:**

2.000 inches

### **Body Height:**

1.900 inches

### **Maximum Operating Temp:**

130.0 degrees celsius

### **End Application:**

6665-01-277-8639 air particle sample

### Inclosure Type:

Hermetically sealed

### **Mounting Facility Quantity:**

4 single group

### **Mounting Method:**

Threaded hole single group

### **Winding Function And Quantity:**

1 primary single component and 1 secondary single component

### **Features Provided:**

Color coded lead

### **Thread Size:**

0.190 inches single group

### **Winding Operating Current:**

670.0 milliamperes ac single component single secondary

### **Winding Power Rating:**

6.81 volts-amperes single component single secondary

### **Winding Operating Voltage:**

115.00 ac volts single component single primary

### **Thread Series Designator:**

Unf single group

# NSN 5950-01-305-6252

Power Transformer - Page 2 of 2



Terminal Type And Quantity	:
----------------------------	---

4 wire lead

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0