NSN 5950-01-305-7649

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-305-7649

Reliability	Indicator:
-------------	------------

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.953 inches single mounting facility single center group and 4.047 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.703 inches single mounting facility single center group and 3.797 inches single mounting facility single center group

Inductance Type:

Fixed

Inductance Rating:

120.00 microhenries single component single winding and 135.00 microhenries single component single winding

Frequency Rating:

2.4 kilohertz single component

Body Length:

6.250 inches

Body Width:

5.500 inches

Body Height:

6.250 inches

Maximum Operating Temp:

155.0 degrees celsius

Winding Quantity:

1 single component

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Rating Method:

Electrical single component single winding

Thread Size:

0.250 inches single group

Winding Operating Current:

110.0 amperes dc single component single winding

Dc Resistance Rating In Ohms:

0.050 single component single winding

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

2 threaded stud

Shelf Life:

N/a

NSN 5950-01-305-7649

Reactor - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A058b0