

View Online at <https://aerobasegroup.com/nsn/5950-01-307-2432>

Reliability Indicator:

Not established

Overall Length:

1.400 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.190 inches single mounting facility single center group and 1.210 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.670 inches single mounting facility single center group and 0.690 inches single mounting facility single center group

Overall Width:

Between 0.860 inches and 0.900 inches

Mounting Hole Diameter:

0.076 inches single group and 0.096 inches single group

Impedance Rating In Ohms:

70.0 single component single primary

Frequency Rating:

400.0 hertz single component and 10.0 kilohertz single component

Body Height:

0.830 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

2 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

93.5 milliamperes ac single component single secondary and 114.3 milliamperes ac single component single secondary

Test Data Document:

81755-c10961 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

4 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0