NSN 5950-01-308-2080

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-308-2080

Reliability Indicator:	
Not established	
Overall Length:	
7.100 inches	
Center To Center Di	stance Between Mounting Facilities Parallel To Length:
6.594 inches single r	nounting facility single center group
Center To Center Di	stance Between Mounting Facilities Parallel To Width:
2.625 inches single r	nounting facility single center group
Overall Height:	
Between 1.880 inche	s and 1.900 inches
Overall Width:	
3.380 inches	
Frequency Rating:	
15.0 kilohertz single	component
Input-output Phase	Relationship:
Single phase to single	phase single component
Maximum Operating	Temp:
65.0 degrees celsius	
Inclosure Type:	
Fully enclosed	
Mounting Facility Q	Jantity:
4 single group	
Mounting Method:	
Bracket single group	and threaded stud single group
Winding Function A	nd Quantity:
2 primary single com	ponent and 1 secondary single component
Thread Size:	
0.164 inches single g	roup
Winding Operating	Current:
400.0 amperes dc si	ngle component single secondary
Winding Operating	/oltage:
5.30 ac volts single c	omponent single secondary and 5.94 ac volts single component single secondary and 15.90 ac volts single
component single sed	condary
Thread Series Desig	nator:
Unc single group	
Terminal Type And	Quantity:
7 tab, solder lug	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	

NSN 5950-01-308-2080

Power Transformer - Page 2 of 2

Fiig: A058b0

