## NSN 5950-01-308-2080

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-308-2080 **Reliability Indicator:** Not established **Overall Length:** 7.100 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 6.594 inches single mounting facility single center group Center To Center Distance Between Mounting Facilities Parallel To Width: 2.625 inches single mounting facility single center group **Overall Height:** Between 1.880 inches and 1.900 inches **Overall Width:** 3.380 inches Frequency Rating: 15.0 kilohertz single component Input-output Phase Relationship: Single phase to single phase single component **Maximum Operating Temp:** 65.0 degrees celsius **Inclosure Type:** Fully enclosed **Mounting Facility Quantity:** 4 single group **Mounting Method:** Bracket single group and threaded stud single group **Winding Function And Quantity:** 2 primary single component and 1 secondary single component **Thread Size:** 0.164 inches single group **Winding Operating Current:** 400.0 amperes dc single component single secondary **Winding Operating Voltage:** 5.30 ac volts single component single secondary and 5.94 ac volts single component single secondary and 15.90 ac volts single component single secondary **Thread Series Designator:** Unc single group **Terminal Type And Quantity:** 7 tab, solder lug Shelf Life: N/a **Unit Of Measure:** 

No

Demilitarization:

## NSN 5950-01-308-2080

Power Transformer - Page 2 of 2



Fiig:

A058b0