## NSN 5950-01-309-9702

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-309-9702

**Reliability Indicator:** 

Not established

**Overall Length:** 

1.770 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.550 inches single mounting facili type 2nd center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.750 inches single mounting facili type 2nd center group

**Overall Height:** 

1.165 inches

Overall Width:

1.220 inches

**Mounting Hole Diameter:** 

0.106 inches 2nd group and 0.114 inches 2nd group

**Frequency Rating:** 

100.0 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

**Maximum Transformer Power Rating:** 

160.0 volt-ampere single component

**Maximum Operating Temp:** 

95.0 degrees celsius

**Distance Between Mounting Facility Centers:** 

1.550 inches single mounting facili type 1st center group

**Inclosure Type:** 

Fully enclosed

**Mounting Facility Quantity:** 

4 2nd group

**Mounting Method:** 

Unthreaded hole 2nd group

Winding Function And Quantity:

1 primary single component and 4 secondary single component

**Features Provided:** 

Color coded lead

Thread Size:

0.086 inches 1st group

**Winding Operating Current:** 

70.7 milliamperes ac single component 4th secondary

**Winding Operating Voltage:** 

56.56 ac volts single component 2nd secondary

**Thread Series Designator:** 

Unc 1st group

## NSN 5950-01-309-9702

Power Transformer - Page 2 of 2



Terminal	Type	Δnd	Quantity:	
ı <del>C</del> ı IIIIII aı	ı ype	Allu	Qualitity.	

12 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0