# NSN 5950-01-311-3702

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-311-3702

Reliability Indicator:
Not established
Center To Center Dista

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

1.840 inches single mounting facility single center group and 1.860 inches single mounting facility single center group

#### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.615 inches single mounting facility single center group and 1.635 inches single mounting facility single center group

#### **Frequency Rating:**

400.0 hertz single component

#### Input-output Phase Relationship:

Single phase to three phase single component

#### **Transformer Winding Connection Type:**

Delta-wye

#### **Winding Shielding Method:**

Internal shield brought out to terminal single component

#### **Body Length:**

2.370 inches

# **Body Width:**

2.120 inches

### **Body Height:**

0.700 inches

## **Maximum Operating Temp:**

130.0 degrees celsius

#### **Inclosure Type:**

Fully enclosed

#### **Mounting Facility Quantity:**

4 single group

# **Mounting Method:**

Threaded hole single group

# Winding Function And Quantity:

3 primary single component and 1 secondary single component

#### **Thread Size:**

0.112 inches single group

# **Winding Operating Current:**

11.0 microamperes ac single component single secondary

#### **Winding Operating Voltage:**

4.243 ac volts single component single secondary

#### **Thread Series Designator:**

Unc single group

#### **Terminal Type And Quantity:**

11 pin

#### Shelf Life:

N/a

# NSN 5950-01-311-3702

Power Transformer - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A058b0