

View Online at <https://aerobasegroup.com/nsn/5950-01-312-6740>

Reliability Indicator:

Not established

Overall Height:

13.500 inches

Mounting Hole Diameter:

0.562 inches 2nd group

Mounting Slot Width:

0.582 inches 1st group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Delta-delta

Maximum Transformer Power Rating:

6.0 kilovolt-ampere single component

Body Length:

14.750 inches

Body Width:

9.000 inches

Distance Between Mounting Facility Centers:

8.000 inches 1st mounting facility single center group

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

2 1st group

Mounting Method:

Unthreaded hole 2nd group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

50.0 amperes ac single component single secondary

Winding Operating Voltage:

405.00 ac volts single component single primary and 416.25 ac volts single component single primary and 427.50 ac volts single component single primary and 438.75 ac volts single component single primary and 450.00 ac volts single component single primary and 461.25 ac volts single component single primary and 472.50 ac volts single component single primary

Terminal Type And Quantity:

21 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0