NSN 5950-01-314-3132

Pulse Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-01-314-3132

Reliability Indicator:
Not established
Overall Length:
0.500 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
0.400 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.200 inches single mounting facility single center group
Overall Height:
0.250 inches
Overall Width:
0.350 inches
Impedance Rating In Ohms:
3000.0 single component single secondary
Frequency Rating:
75.0 kilohertz single component and 1.0 megahertz single component
Primary To Secondary Turn Ratio:
1 to 41/100 single component
Maximum Operating Temp:
130.0 degrees celsius
Inclosure Type:
Fully enclosed
Mounting Method:
Terminal single group
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Dc Resistance Rating In Ohms:
2.700 single component single secondary
Test Data Document:
81349-mil-t-21038 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:
4 wire lead
Specification Data:
81349-mil-t-21038/27 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A058b0