NSN 5950-01-316-1757

Vibrator Power Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-01-316-1757

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.182 inches single mounting facility single center group and 3.192 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.432 inches single mounting facility single center group and 1.442 inches single mounting facility single center group

Mounting Hole Diameter:

 $0.120 \ \text{inches} \ \text{single} \ \text{group} \ \text{and} \ 0.130 \ \text{inches} \ \text{single} \ \text{group}$

Body Length:

Between 3.480 inches and 3.520 inches

Body Width:

Between 1.730 inches and 1.770 inches

Body Height:

Between 0.680 inches and 0.720 inches

Maximum Operating Temp:

80.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

12.0 milliamperes dc single component single secondary

Winding Operating Voltage:

480.00 dc pounds per hour dry single component single secondary and 520.00 dc pounds per hour with retaining chain single component single secondary

Special Features:

Item has a volts adjustment on it

Terminal Type And Quantity:

4 turret

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A058b0