# NSN 5950-01-316-3434

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-316-3434

### **Reliability Indicator:**

Not established

#### Mounting Hole Diameter:

0.093 inches single group

# Inductance Type:

Fixed

#### Inductance Rating:

50.00 microhenries single component single winding

#### **Frequency Rating:**

40.0 kilohertz single component

#### **Body Length:**

0.400 inches

#### **Body Outside Diameter:**

0.700 inches

#### Maximum Operating Temp:

#### 130.0 degrees celsius

Winding Quantity:

1 single component

#### Inclosure Type:

Fully enclosed

#### **Mounting Facility Quantity:**

1 single group

#### Mounting Method:

Unthreaded hole single group

#### **Rating Method:**

Electrical single component single winding

#### **Features Provided:**

Tinned wire leads

#### Winding Operating Current:

2.0 amperes dc single component single winding

#### Dc Resistance Rating In Ohms:

0.030 single component single winding

#### **Test Data Document:**

99696-3191419-107 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

#### Terminal Type And Quantity:

2 wire lead

Shelf Life:

N/a

#### Unit Of Measure:

---

## Demilitarization:

No

# NSN 5950-01-316-3434

Reactor - Page 2 of 2

Fiig: A058b0

