NSN 5950-01-316-3440

Power Autotransformer Transformer - Page 1 of 2



n/nsn/5950-01-316-3440

View Online at https://aerobasegroup.com/nsn/5950-01-316-3440
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length
6.000 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
6.000 inches single mounting facility single center group
Mounting Hole Diameter:
0.380 inches single group
Frequency Rating:
50.0 hertz single component or 60.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Adjustment Device Drive Type:

Shaft single component

Mounting Facility Quantity:

Winding Function And Quantity:

Adjustment Method And Quantity: 1 adjustable control single component

Winding Operating Current:

Winding Operating Voltage:

Terminal Type And Quantity:

5 screw Shelf Life:

Unit Of Measure:

N/a

Winding Power Rating:

Flange single group and unthreaded hole single group

1 primary, variable autotransformer type single component

22.0 amperes ac single component single primary output

3.0 kilovolt-amperes single component single primary output

120.00 ac volts single component single primary input

Body Length: 7.500 inches **Body Width:** 6.180 inches **Body Height:** 8.590 inches Inclosure Type:

Open

4 single group

Mounting Method:

NSN 5950-01-316-3440

Power Autotransformer Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0