

View Online at <https://aerobasegroup.com/nsn/5950-01-317-3099>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.395 inches single mounting facility single center group and 0.405 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.395 inches single mounting facility single center group and 0.405 inches single mounting facility single center group

Inductance Rating:

50.00 microhenries single component single secondary

Frequency Rating:

100.0 kilohertz single component

Coil Form Type:

Solid single component

Winding Shielding Method:

Ground brought out to terminal single component

Body Length:

0.530 inches

Body Width:

0.530 inches

Body Height:

0.390 inches

Maximum Operating Temp:

130.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Method:

Terminal single group

Rating Method:

Electrical single component single secondary

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Test Data Document:

24039-118148 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

4 pin and 1 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0