NSN 5950-01-317-7723



Reactor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5950-01-317-7723 **Reliability Indicator:** Not established **Inductance Type:** Fixed **Inductance Rating:** 100.00 millihenries single component single winding Frequency Rating: 15.0 hertz single component **Body Length:** 0.240 inches **Body Outside Diameter:** 0.360 inches **Maximum Operating Temp:** 105.0 degrees celsius **Distance Between Mounting Facility Centers:** 0.190 inches single mounting facility single center group and 0.210 inches single mounting facility single center group Winding Quantity: 1 single component **Inclosure Type:** Fully enclosed **Mounting Method:** Terminal single group **Rating Method:** Electrical single component single winding **Features Provided:** Tinned wire leads **Winding Operating Current:** 6.0 milliamperes dc single component single winding Dc Resistance Rating In Ohms: 132.000 single component single winding **Test Data Document:** 81349-mil-t-27 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Terminal Type And Quantity:** 2 wire lead **Specification Data:** 81349-mil-t-27/146 government specification Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 5950-01-317-7723

Reactor - Page 2 of 2



Fiig:

A058b0