NSN 5950-01-317-8645

Reactor - Page 1 of 2

4 single component all winding

Reliability Indicator:

Not established

Overall Length:

2.700 inches

Turn Quantity:

Overall Height: 1.720 inches Overall Width: 0.640 inches



View Online at https://aerobasegroup.com/nsn/5950-01-317-8645

Mounting Hole Diameter:
0.188 inches single group
Inductance Type:
Fixed
Inductance Rating:
100.00 microhenries single component all winding
Frequency Rating:
60.0 hertz single component
Maximum Operating Temp:
100.0 degrees celsius
Distance Between Mounting Facility Centers:
2.400 inches single mounting facility single center group
Winding Quantity:
3 single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
2 single group
Mounting Method:
Flange single group and unthreaded hole single group
Rating Method:
Electrical single component all winding and winding turns single component all winding
Features Provided:
Tinned wire leads
Winding Conductor Size:
0.03196 inches american wire gage single component all winding
Dc Resistance Rating In Ohms:
0.007 single component all winding
Criticality Code Justification:
Zzzy
Special Features:
Item must comply with requirements of defense supply center columbus production standard no. Lo4232

NSN 5950-01-317-8645

Reactor - Page 2 of 2



Terminal	Type	And	Quantity:
-----------------	-------------	-----	-----------

6 pin

Reference Number Differentiating Characteristics:

Reference number differentiating material will be in accordance with naval inventory control point activity hx quality control. Manufacturing and testing specifications available at the dla icp

Shelf L	_ife:
N/a	

Unit Of Measure:

Demilitarization:

No

Fiig:

A058b0