## NSN 5950-01-318-8751

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-318-8751

Reliability Indicator:					
Not established					
Overall Length:					
3.880 inches					
Center To Center Distance Between Mounting Facilities Parallel To Length:					
2.625 inches single mounting facility single center group					
Center To Center Distance Between Mounting Facilities Parallel To Width:					
1.250 inches single mounting facility single center group					
Overall Height:					
4.810 inches					
Overall Width:					
2.000 inches					
Frequency Rating:					
380.0 hertz single component and 420.0 hertz single component					
Input-output Phase Relationship:					
Three phase to six phase single component					
Transformer Winding Connection Type:					
Delta-wye					
Winding Shielding Method:					
Core grounded to inclosure and brought out to terminal single component and internal shield brought out to terminal single component					
Maximum Operating Temp:					
70.0 degrees celsius					
End Application:					
5840-00-220-5690, radar set					
Inclosure Type:					
Fully enclosed					
Mounting Facility Quantity:					
4 single group					
Mounting Method:					
Threaded stud single group					
Winding Function And Quantity:					
1 primary single component and 1 secondary single component					
Thread Size:					
0.164 inches single group					
Winding Operating Current:					
4.5 amperes dc single component single secondary					
Winding Operating Voltage:					
183.00 ac volts single component single primary and 223.00 ac volts single component single primary					
Thread Series Designator:					
Unc single group					

16 threaded stud

**Terminal Type And Quantity:** 

## NSN 5950-01-318-8751

Power Transformer - Page 2 of 2



_				
c	hο	.1+		ife:
J	116		_	HG.

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0