

View Online at <https://aerobasegroup.com/nsn/5950-01-319-6155>

Reliability Indicator:

Not established

Overall Length:

9.250 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

6.750 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

6.750 inches single mounting facility single center group

Overall Height:

7.375 inches

Overall Width:

7.562 inches

Mounting Slot Width:

0.262 inches single group

Frequency Rating:

50.0 hertz single component and 500.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Maximum Transformer Power Rating:

3.0 kilovolt-ampere single component

Winding Shielding Method:

Internal shield grounded to core single component

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 all groupings

Mounting Method:

Bracket single group and slot single group

Winding Function And Quantity:

2 primary single component and 2 secondary single component

Winding Operating Current:

28.0 amperes ac single component all secondary

Winding Operating Voltage:

104.00 ac volts single component all secondary and 110.00 ac volts single component all secondary and 120.00 ac volts single component all secondary

Terminal Type And Quantity:

16 threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0