

View Online at <https://aerobasegroup.com/nsn/5950-01-320-3609>

**Reliability Indicator:**

Not established

**Impedance Rating In Ohms:**

100.0 single component single secondary

**Frequency Rating:**

12.0 kilohertz single component and 2.3 megahertz single component

**Primary To Secondary Turn Ratio:**

4 to 4 to 1 single component

**Body Length:**

0.375 inches

**Body Outside Diameter:**

0.375 inches

**Maximum Operating Temp:**

130.0 degrees celsius

**Inclosure Type:**

Fully enclosed

**Mounting Method:**

Terminal single group

**Winding Function And Quantity:**

2 primary single component and 1 secondary single component

**Features Provided:**

Color coded lead and tinned wire leads

**Dc Resistance Rating In Ohms:**

4.400 single component 2nd primary

**Winding Operating Voltage:**

7.00 ac volts single component single secondary

**Test Data Document:**

81349-mil-t-21038 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Terminal Type And Quantity:**

6 wire lead

**Specification Data:**

81349-mil-t-21038/11 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0