# NSN 5950-01-321-7278

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-321-7278

## **Reliability Indicator:**

Not established

## **Overall Length:**

1.500 inches

## Center To Center Distance Between Mounting Facilities Parallel To Length:

0.875 inches single mounting facility single center group

### Center To Center Distance Between Mounting Facilities Parallel To Width:

1.125 inches single mounting facility single center group

#### **Overall Height:**

1.250 inches

#### **Overall Width:**

1.370 inches

#### Inductance Type:

Fixed

#### Inductance Rating:

1.20 millihenries single component single winding

#### Frequency Rating:

9.0 kilohertz single component

#### Winding Quantity:

1 single component

## Inclosure Type:

Fully enclosed

#### Mounting Facility Quantity:

2 single group

#### **Mounting Method:**

Threaded hole single group

#### **Rating Method:**

Electrical single component single winding

#### Thread Size:

0.112 inches single group

#### Winding Operating Current:

2.0 amperes ac single component single winding

#### Dc Resistance Rating In Ohms:

0.600 single component single winding

#### Criticality Code Justification:

Zzzy

## **Special Features:**

Item must comply with requirements of defense supply center columbus production standard no. Lo4257

# Thread Series Designator:

Unc single group

# Terminal Type And Quantity:

2 standoff, solder lug

# NSN 5950-01-321-7278

Reactor - Page 2 of 2



## **Reference Number Differentiating Characteristics:**

Reference number differentiating material will be in accordance with naval inventory control point activity hx quality control. Manufacturing

and testing specifications available at the dla icp.

Shelf Life:

N/a

Unit Of Measure:

---

# Demilitarization:

No

Fiig:

A058b0