NSN 5950-01-323-1668

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-323-1668

Reliability Indicator:

Not established

Hazardous Locations/environmental Protection:

Vibration resistant

Overall Length:

1.450 inches

Turn Quantity:

11 single component single winding

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.070 inches single mounting facility single center group and 1.090 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.070 inches single mounting facility single center group and 1.090 inches single mounting facility single center group

Overall Width:

0.900 inches

Inductance Type:

Fixed

Inductance Rating:

11.50 microhenries single component single winding

Frequency Rating:

15.75 kilohertz single component

Body Height:

1.450 inches

Maximum Operating Temp:

130.0 degrees celsius

Winding Quantity:

1 single component

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Rating Method:

Electrical single component single winding and winding turns single component single winding

Thread Size:

0.112 inches single group

Winding Conductor Size:

0.02535 inches american wire gage single component single winding

Winding Operating Current:

21.0 amperes dc single component single winding

Dc Resistance Rating In Ohms:

0.0035 single component single winding

NSN 5950-01-323-1668

Reactor - Page 2 of 2



Unc single group

Terminal Type And Quantity:

2 wire lead

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A058b0

