NSN 5950-01-324-1125

Radio Frequency Coil - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-01-324-1125

| Reliability Indicator: |
|--|
| Not established |
| Inductance Rating: |
| 200.00 microhenries single component single winding and 220.00 microhenries single component single winding |
| Coil Form Type: |
| Solid single component |
| Core Construction: |
| S0lid single component |
| Body Length: |
| 0.460 inches |
| Overall Diameter: |
| 1.000 inches |
| Maximum Operating Temp: |
| 130.0 degrees celsius |
| Inclosure Type: |
| Fully enclosed |
| Mounting Method: |
| Terminal single group |
| Rating Method: |
| Electrical single component single winding |
| Winding Operating Current: |
| 2.0 amperes dc single component single winding |
| Dc Resistance Rating In Ohms: |
| 1.000 single component single winding |
| Test Data Document: |
| 16340-11-00084 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc. |
| excludes any specification, standard or other document that may be referenced in a basic governing drawing) |
| Terminal Type And Quantity: |
| 2 wire lead |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A058b0 |
| |