

View Online at <https://aerobasegroup.com/nsn/5950-01-324-2409>

Reliability Indicator:

Not established

Overall Length:

2.938 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.313 inches single mounting facility single center group and 2.437 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.156 inches single mounting facility single center group and 2.218 inches single mounting facility single center group

Overall Height:

2.375 inches

Overall Width:

2.813 inches

Mounting Slot Width:

0.180 inches single group and 0.190 inches single group

Frequency Rating:

50.0 hertz single component and 400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Core grounded single component

Maximum Operating Temp:

105.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Slot single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

50.0 milliamperes ac single component single primary

Winding Power Rating:

60.32 volts-amperes single component single secondary

Winding Operating Voltage:

23.20 ac volts single component single secondary

Terminal Type And Quantity:

5 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0