

View Online at <https://aerobasegroup.com/nsn/5950-01-324-3280>

Reliability Indicator:

Not established

Overall Length:

3.600 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.427 inches single mounting facility single center group and 2.447 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.396 inches single mounting facility single center group and 2.416 inches single mounting facility single center group

Overall Height:

1.540 inches

Mounting Hole Diameter:

0.146 inches single group and 0.166 inches single group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to single phase single component and three phase to three phase single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Width:

Between 2.896 inches and 2.916 inches

Maximum Operating Temp:

105.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Winding Operating Current:

75.0 milliamperes ac single component single primary

Winding Operating Voltage:

115.00 ac volts single component single primary

Terminal Type And Quantity:

3 wire lead and 8 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0