## NSN 5950-01-324-4288



Reactor - Page 1 of 1 View Online at https://aerobasegroup.com/nsn/5950-01-324-4288 **Reliability Indicator:** Not established **Hazardous Locations/environmental Protection:** Fungus resistant and corrosion resistant and vibration resistant **Inductance Type:** Fixed **Inductance Rating:** 2.20 millihenries single component single winding Frequency Rating: 400.0 hertz single component **Body Length:** 0.500 inches **Overall Diameter:** 1.120 inches **Maximum Operating Temp:** 85.0 degrees celsius **End Application:** 5805-01-188-3993 central office, telephone, automatic **Winding Quantity:** 1 single component **Inclosure Type:** Fully enclosed **Mounting Method:** Terminal single group **Rating Method:** Electrical single component single winding **Winding Operating Current:** 500.0 milliamperes dc single component single winding Dc Resistance Rating In Ohms: 0.613 single component single winding **Test Data Document:** 16340-11-00079 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Terminal Type And Quantity:** 2 wire lead Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

Fiig:

No

A058b0