## NSN 5950-01-324-4289

Current Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-01-324-4289 **Reliability Indicator:** Not established **Hazardous Locations/environmental Protection:** Vibration resistant **Overall Length:** 0.920 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 0.590 inches single mounting facility single center group and 0.610 inches single mounting facility single center group Center To Center Distance Between Mounting Facilities Parallel To Width: 0.504 inches single mounting facility single center group and 0.524 inches single mounting facility single center group **Overall Width:** 0.800 inches Frequency Rating: 380.0 hertz single component and 420.0 hertz single component Input-output Phase Relationship: Single phase to single phase single component **Body Height:** 0.700 inches **Maximum Operating Temp:** 130.0 degrees celsius Inclosure Type: Fully enclosed **Mounting Method:** Terminal single group **Winding Function And Quantity:** 1 primary single component and 3 secondary single component **Winding Operating Current:** 8.0 amperes ac single component single primary **Winding Operating Voltage:** 2.16 ac pounds per hour wet single component all secondary **Terminal Type And Quantity:** 8 pin Shelf Life: N/a **Unit Of Measure: Demilitarization:** No

Fiig:

A058b0