

View Online at <https://aerobasegroup.com/nsn/5950-01-324-4292>

**Reliability Indicator:**

Not established

**Hazardous Locations/environmental Protection:**

Fungus resistant and corrosion resistant

**Overall Length:**

Between 1.830 inches and 1.870 inches

**Overall Width:**

Between 1.395 inches and 1.415 inches

**Frequency Rating:**

100.0 kilohertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Maximum Transformer Power Rating:**

150.0 watts single component

**Body Height:**

Between 1.005 inches and 1.025 inches

**Maximum Operating Temp:**

160.0 degrees celsius

**End Application:**

5805-01-188-3993 central office, telephone, automatic

**Inclosure Type:**

Fully enclosed

**Mounting Method:**

Terminal single group

**Winding Function And Quantity:**

1 primary single component and 6 secondary single component

**Winding Operating Current:**

1.6 amperes dc single component single primary

**Winding Operating Voltage:**

205.00 ac volts single component single primary

**Special Features:**

One primary winding; six secondary windings with the first and fifth secondary windings tapped

**Test Data Document:**

16340-11-00067 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Terminal Type And Quantity:**

4 wire lead and 12 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0