NSN 5950-01-324-4292

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-324-4292

Reliability Indicator:

Not established

Hazardous Locations/environmental Protection:

Fungus resistant and corrosion resistant

Overall Length:

Between 1.830 inches and 1.870 inches

Overall Width:

Between 1.395 inches and 1.415 inches

Frequency Rating:

100.0 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Maximum Transformer Power Rating:

150.0 watts single component

Body Height:

Between 1.005 inches and 1.025 inches

Maximum Operating Temp:

160.0 degrees celsius

End Application:

5805-01-188-3993 central office, telephone, automatic

Inclosure Type:

Fully enclosed

Mounting Method:

Terminal single group

Winding Function And Quantity:

1 primary single component and 6 secondary single component

Winding Operating Current:

1.6 amperes dc single component single primary

Winding Operating Voltage:

205.00 ac volts single component single primary

Special Features:

One primary winding; six secondary windings with the first and fifth secondary windings tapped

Test Data Document:

16340-11-00067 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

4 wire lead and 12 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

NSN 5950-01-324-4292

Power Transformer - Page 2 of 2



Fiig:

A058b0