

View Online at <https://aerobasegroup.com/nsn/5950-01-324-4307>

**Reliability Indicator:**

Not established

**Hazardous Locations/environmental Protection:**

Fungus resistant and corrosion resistant and vibration resistant

**Inductance Rating:**

1.50 microhenries single component all winding and 2.50 microhenries single component all winding

**Frequency Rating:**

100.0 kilohertz single component

**Body Length:**

0.500 inches

**Overall Diameter:**

1.000 inches

**Maximum Operating Temp:**

120.0 degrees celsius

**End Application:**

5805-01-188-3993 central office, telephone, automatic

**Winding Quantity:**

4 single component

**Inclosure Type:**

Fully enclosed

**Mounting Method:**

Terminal single group

**Rating Method:**

Electrical single component all winding

**Winding Conductor Size:**

0.03196 inches american wire gage single component all winding

**Winding Operating Current:**

16.4 amperes dc single component all winding

**Dc Resistance Rating In Ohms:**

0.002 single component all winding

**Winding Operating Voltage:**

1.00 ac pounds per hour wet single component all winding

**Test Data Document:**

16340-11-00016 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Terminal Type And Quantity:**

8 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0